

WebinarJam

API integration

IMPORTANT NOTES:

- Our API endpoint URL is *<https://webinarjam.genndi.com/api/>*
- Please note that you're required to connect to our server from a SSL secure connection. Non SSL connections will be dropped.
- Your API Key can be found in your main webinar dashboard, by clicking on the Advanced Settings cogwheel icon. You don't need a new API Key for each webinar, since they are global for your entire account.
- GDPR notice: Since the API will be automatically subscribing users to your webinars without their manual input, it's your responsibility to make sure they have granted you permission to handle their personal data, they have agreed to be subscribed to your webinars, and they have granted you permission to communicate with them in the future.

1. Retrieve a full list of all webinars published in your account

- **Method:** webinars
- **Type:** POST
- **Complete URL:** <https://webinarjam.genndi.com/api/webinars>

The request must include all of the required fields, based on the table bellow:

Name	Value
api_key*	string(64)

* required

The response body will be a JSON object containing an array of webinars. Each webinar object will contain:

Name	Type	Description
webinar_id	string	Webinar ID
name	string	Webinar Name
description	string	Webinar Description
type	string	scheduled / right now
series	int	1 for series of webinars
schedules	array	Empty for right now
timezone	string	Webinar timezone

Example CURL request:

```
curl --data "api_key=demokey" https://webinarjam.genndi.com/api/webinars
```

Example return:

```
{
  "status": "success",
  "webinars": [
    {
      "webinar_id": "demo123",
      "name": "name of webinar",
      "description": "description of webinar",
      "type": "later",
      "series": 1,
      "schedules": [
        "2099-01-01 10:00",
        "2099-01-02 10:00",
      ],
      "timezone": "America/Chicago",
    },
    {
      "webinar_id": "demo567",
      "name": "right now",
      "description": "right now",
      "type": "now",
      "series": 0,
      "schedules": [],
      "timezone": "UTC",
    }
  ]
}
```

2. Get details about one particular webinar from your account

- **Method:** webinar
- **Type:** POST
- **Complete URL:** <https://webinarjam.genndi.com/api/webinar>

The request must include all of the required fields, based on the table bellow:

Name	Value
api_key*	string(64)
webinar_id*	string

* required

The response body will be a JSON object containing a webinar object with the following:

Name	Value	Parent	Description
webinar_id	string		Webinar ID
name	string		Webinar Name
description	string		Webinar Description
type	string		scheduled / right now
series	int		1 for series of webinars, 0 for one-off webinars
schedules	array		empty for right now
date	string	schedules	Date and time of webinar
schedule	int	schedules	Schedule ID
timezone	string		Webinar timezone

presenters	array		Presenters
name	string	presenter s	Presenter Name
email	string	presenter s	Presenter Email
picture	string	presenter s	Presenter Image URL
registration_url	string		Registration URL
registration_type	string		paid / free
registration_fee	int		Registration Fee
registration_currency**	string		Registration Currency
registration_checkout_url**	string		Registration Checkout URL
registration_post_payment_url* *	string		Registration Post Payment URL

Example CURL request:

```
curl --data "api_key=demokey&webinar_id=demo123" https://webinarjam.genndi.com/api/webinar
```

Example return:

```
{
  "status": "success",
  "message": "",
  "webinar": {
    "webinar_id": "demo123",
    "name": "name of webinar",
    "description": "description of webinar",
    "type": "scheduled",
    "series": 1,
    "schedules": [
      {
        "date": "2099-01-01 10:00",
        "schedule": 0
      },
      {
        "date": "2099-01-02 10:00",
        "schedule": 1
      }
    ],
    "timezone": "America/Los_Angeles",
    "presenters": [
      {
        "name": "John Doe",
        "email": "john.doe@gmail.com",
        "picture": "https://test.s3.amazonaws.com/default_user.jpg"
      }
    ],
    "registration_url": "http://app.webinarjam.net/register/1/demo123",
    "registration_type": "free",
    "registration_fee": 0,
    "registration_currency": "",
    "registration_checkout_url": "",
    "registration_post_payment_url": ""
  }
}
```

3. Register a person to a specific webinar

- **Method:** register
- **Type:** POST
- **Complete URL:** <https://webinarjam.genndi.com/api/register>

***ATTENTION*:** to register a person to a series of webinars, you only have to request once the registration with the first schedule. The API will auto register the person to all the future schedules for that series of webinars.

The request must include all of the required fields, based on the table bellow:

Name	Value
api_key*	string(64)
webinar_id* {+}	string
first_name*	string
last_name**	string, optional
email*	string
schedule* {+}	int
ip_address	string, optional
phone_country_code**	string, optional, without "+"
phone**	string, optional, only numbers

* required

** this field might be required depending on the configured settings for each webinar

{+} **webinar_id** and **schedule** must be obtained from a previous API call to retrieve the details from whatever specific webinar you want to register the person to.

The response body will be a JSON object containing a user object with the following:

Name	Value	Description
webinar_id	string	Webinar ID
user_id	int	Attendee Internal ID
first_name	string	Attendee First Name
last_name*	string	Attendee Last Name
phone_country_code*	string	Attendee Phone Country Code
phone*	string	Attendee Phone Number
email	string	Attendee Email
schedule	int	Attendee Schedule
date	string	Webinar date and time
timezone	string	Webinar timezone
live_room_url {+}	string	Live Room URL
replay_room_url {+}	string	Replay Room URL
thank_you_url {+}	string	Registration Success URL

{+} *live_room_url*, *replay_room_url* and *thank_you_url* are unique to each attendee
* these fields will only be returned only if they are enabled within the webinar's configuration settings

Example CURL request:

```
curl --data
"api_key=demokey&webinar_id=demo123&first_name=FirstName&last_n
ame=LastName&phone_country_code=1&phone=1234567890email=test
@email.com&schedule=0" https://webinarjam.genndi.com/api/register
```

Example return:

```
{
  "status": "success",
  "message": "",
  "user": {
    "webinar_id": "demo123",
    "user_id": 6790321,
    "first_name": "FirstName",
    "last_name": "LastName",
    "phone_country_code": "1",
    "phone": "1234567890",
    "email": "test@email.com",
    "schedule": 0,
    "date": "2099-01-01 10:00",
    "timezone": "America/Los_Angeles",
    "live_room_url": "http://app.webinarjam.net/live/1/demo123/0/
lk6790321HW",
    "replay_room_url": "http://app.webinarjam.net/replay/1/demo123/0/
PM67903213z",
    "thank_you_url": "http://app.webinarjam.net/thankyou/demo123?
api_request_id=yDFdl8qC6790321YJs6"
  }
}
```